

Government eProcurement System

Tender Details

Date: 09-Jul-2024 03:38 PM



Basic Details			
Organisation Chain	Council of Scientific and Indu	ustrial Research IICT-Hyderabad - CS	SIR Purchase-IICT - CSIR
Tender Reference Number	PUR/IICT/0503/24-25/EQPT		
Tender ID	2024_CSIR_200823_1	Withdrawal Allowed	Yes
Tender Type	Open Tender	Form of contract	Supply
Tender Category	Goods	No. of Covers	2
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No
Payment Mode	Offline	Is Multi Currency Allowed For BOQ	No
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No

		<u>nstruments</u>
Offline	S.No	Instrument Type
		Demand Draft
	2	Bank Guarantee

Cover	Details, No. Of Co	overs - 2	
Cover No	Cover	Document Type	Description
1	Fee/PreQual/Technical	.pdf	BID SECURITY DECLARATION (BSD)/EMD
		.pdf	TECHNICAL BID
		.pdf	ALL OTHER TENDER RELATED DOCUMENTS
2	Finance	.xls	PRICE BID
		.pdf	DETAILED PRICE BID IN PDF FORMAT

Tender Fee Det	ails, [Tot	tal Fee in ₹ * - 0	.00]
Tender Fee in ₹	0.00		
Fee Payable To	Nil	Fee Payable At	Nil
Tender Fee Exemption Allowed	No		

EMD Fee Deta	ails		
EMD Amount in ₹	2,00,000	EMD Exemption Allowed	Yes
EMD Fee Type	fixed	EMD Percentage	NA
 EMD Payable To	DIRECTOR, CSIR-IICT	EMD Payable At	HYDERABAD

Click to view modification history

Work /Item(s)		
Title	PUR/IICT/0503/24-25/EQPT	
Work Description	Supply, Installation and commissioning of Chemisorption analyzer with Q-mass detector for multi gas analysis as per the specifications	
Pre Qualification Details	Please refer Tender documents.	
Independent External Monitor/Remarks	NA	
Show Tender Value	Yes	

in Public Domaine r	nment				
Tender Value in ₹ U	ement	Product Category	Electrical Goods/Equipment	Sub category	NA
Contract Type 5 V S	Tender	Bid Validity(Days)	90	Period Of Work (Days)	120
Location	CSIR-IICT, TARNAKA, HYDERABAD	Pincode	500007	Pre Bid Meeting Place	STORES AND PURCHASE SECTION
Pre Bid Meeting Address	CSIR-IICT, TARNAKA, HYDERABAD	Pre Bid Meeting Date	18-Jul-2024 10:30 AM	Bid Opening Place	THROUGH ONLINE
Should Allow NDA Tender	No	Allow Preferential Bidder	No		

Critical Dates			
Publish Date	09-Jul-2024 04:00 PM	Bid Opening Date	06-Aug-2024 02:00 PM
Document Download / Sale Start Date	09-Jul-2024 05:00 PM	Document Download / Sale End Date	05-Aug-2024 01:00 PM
Clarification Start Date	09-Jul-2024 06:00 PM	Clarification End Date	16-Jul-2024 11:00 AM
Bid Submission Start Date	22-Jul-2024 05:00 PM	Bid Submission End Date	05-Aug-2024 01:00 PM

NIT Document	S.No	.No Document Name		Description		Document Size (in KB)
	1	Tendernotice_1.pdf		E TENDER NOT	TICE	2548.2
	S.No	Document Type	Documen	t Name	Description	Document Size (in KB)
Work Item Documents	S.No	Document Type Tender Documents	Documen 503.pdf	t Name	Description e tender notice	

Auto Ext	ension Corrigendum Properties for Tender	
Iteration	No. of bids required for bid opening a tender	Tender gets extended to No. of days
1.	2	7

Bid Ope	ners List		
S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name
1.	spodk.eproc@csir.res.in	Dharmendra Kumar	DHARMENDRA KUMAR
2.	md.eproc@csir.res.in	Madhusudhan Duduku	DUDUKU MADHUSUDHAN
3.	balaram.eproc@csir.res.in	Balaram musunuri	BALARAM MUSUNURI

GeMARPTS Details	
GeMARPTS ID	20CO8F6BEFCN
Description	CHEMISORPTION ANALYZER WITH MASS SPECTROSCOPY
Report Initiated On	01-Jul-2024
Valid Until	31-Jul-2024

Tender Properties				
Auto Tendering Process allowed	No	Show Technical bid status	Yes	
Show Finance bid status	Yes	Stage to disclose Bid Details in Public Domain	Technical Bid Opening	
BoQ Comparative	Normal	BoQ Compartive chart decimal	2	

Chart model overnment	places		
Boo Comparative Chart Rank Type CUTEMENT	Form Based BoQ	No	
System			=

TIA Undertaking

S.No	Undertaking to Order	Tender complying with Order	Reason for non compliance of Order
1	TIA UNDERTAKING GEM	Agree	
2	PPP-MII Order 2017	Agree	
3	MSEs Order 2012	Agree	

Tender Inviting Authority		
Name	DIRECTOR, CSIR-IICT	
Address	CSIR-IICT, TARNAKA, HYDERABAD	

Tender Creator Details		
Created By Dharmendra Kumar		
Designation	SPO	
Created Date	09-Jul-2024 03:28 PM	